

IMPORT PISTONS

ACURA/HONDA



B16 MOTOR: FLAT TOP | A1/A2/A3 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.047	77.40	5.290	134.00	-2.0cc	1.181	9.31	9.11	8.75	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.047	77.40	5.290	134.00	-2.0cc	1.181	9.41	9.20	8.84	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-.50	SWH30373-2
84.0	3.504	89.00	5.394	137.00	-2.0cc	1.181	11.21	10.94	10.51	247	0.827	2.250	1.2mm	1.2mm	2.8mm	11375-3.0	SWH30437-0
84.5	3.504	89.00	5.394	137.00	-2.0cc	1.181	11.32	11.07	10.63	249	0.827	2.250	1.2mm	1.2mm	2.8mm	11375-3.5	SWH30437-2
85.0	3.504	89.00	5.394	137.00	-2.0cc	1.181	11.44	11.18	10.73	279	0.827	2.250	1.2mm	1.2mm	2.8mm	11375-4.0	SWH30437-4

B16 MOTOR: HIGH DOME | A1/A2/A3 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.047	77.40	5.290	134.00	+7.1cc	1.181	11.26	10.95	10.41	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.047	77.40	5.290	134.00	+7.1cc	1.181	11.37	11.06	10.52	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-.50	SWH30373-2
84.0	3.504	89.00	5.394	137.00	+7.1cc	1.181	13.58	13.21	12.55	292	0.827	2.250	1.2mm	1.2mm	2.8mm	11377-3.0	SWH30437-0
84.5	3.504	89.00	5.394	137.00	+7.1cc	1.181	13.72	13.34	12.68	272	0.827	2.250	1.2mm	1.2mm	2.8mm	11377-3.5	SWH30437-2
85.0	3.504	89.00	5.394	137.00	+7.1cc	1.181	13.85	13.47	12.80	304	0.827	2.250	1.2mm	1.2mm	2.8mm	11377-4.0	SWH30437-4
86.0	3.504	89.00	5.394	137.00	+7.1cc	1.181	14.12	13.73	13.05	311	0.827	2.250	1.2mm	1.2mm	2.8mm	11377-5.0	SWH30383-4

B16 MOTOR: LOW DOME | A1/A2/A3 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.047	77.40	5.290	134.00	+3.5cc	1.181	10.39	10.13	9.68	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.047	77.40	5.290	134.00	+3.5cc	1.181	10.50	10.24	9.77	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-.50	SWH30373-2
84.0	3.504	89.00	5.394	137.00	+3.5cc	1.181	12.52	12.21	11.65	253	0.827	2.250	1.2mm	1.2mm	2.8mm	11376-3.0	SWH30437-0
84.5	3.504	89.00	5.394	137.00	+3.5cc	1.181	12.65	12.33	11.77	286	0.827	2.250	1.2mm	1.2mm	2.8mm	11376-3.5	SWH30437-2
85.0	3.504	89.00	5.394	137.00	+3.5cc	1.181	12.77	12.45	11.89	262	0.827	2.250	1.2mm	1.2mm	2.8mm	11376-4.0	SWH30437-4
86.0	3.504	89.00	5.394	137.00	+3.5cc	1.181	13.02	12.69	12.11	302	0.827	2.250	1.2mm	1.2mm	2.8mm	11376-5.0	SWH30383-4

B16 MOTOR: REVERSE DOME | A1/A2/A3 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
84.0	3.504	89.00	5.394	137.00	-7.7cc	1.181	10.13	9.94	9.58	260	0.827	2.250	1.2mm	1.2mm	2.8mm	11885-3.0	SWH30437-0
84.0	3.504	89.00	5.394	137.00	-11.9cc	1.181	9.47	9.30	8.99	261	0.827	2.250	1.2mm	1.2mm	2.8mm	14444-3.0	SWH30437-0
84.5	3.504	89.00	5.394	137.00	-7.7cc	1.181	10.24	10.03	9.67	267	0.827	2.250	1.2mm	1.2mm	2.8mm	11885-3.5	SWH30437-2
84.5	3.504	89.00	5.394	137.00	-11.9cc	1.181	9.57	9.40	9.08	270	0.827	2.250	1.2mm	1.2mm	2.8mm	14444-3.5	SWH30437-2
85.0	3.504	89.00	5.394	137.00	-7.7cc	1.181	10.34	10.13	9.77	272	0.827	2.250	1.2mm	1.2mm	2.8mm	11885-4.0	SWH30437-4
81.0	3.047	77.40	5.290	134.00	-7.7cc	1.181	8.43	8.27	7.98	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.047	77.40	5.290	134.00	-7.7cc	1.181	8.52	8.35	8.06	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-.50	SWH30373-2

B17-GSR MOTOR: FLAT TOP | A1 DOHC VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.205	81.40	5.208	132.00	-2.0cc	1.181	9.74	9.53	9.15	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.205	81.40	5.208	132.00	-2.0cc	1.181	9.84	9.63	9.24	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-.50	SWH30373-2

B17-GSR MOTOR: HIGH DOME | A1 DOHC VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.205	81.40	5.208	132.00	+7.1cc	1.181	11.79	11.47	10.90	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.205	81.40	5.208	132.00	+7.1cc	1.181	11.91	11.59	11.01	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-.50	SWH30373-2

B17-GSR MOTOR: LOW DOME | A1 DOHC VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.205	81.40	5.208	132.00	+3.5cc	1.181	10.88	10.61	10.13	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.205	81.40	5.208	132.00	+3.5cc	1.181	10.99	10.71	10.23	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-.50	SWH30373-2

B17-GSR MOTOR: REVERSE DOME | A1 DOHC VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.205	81.40	5.208	132.00	-7.7cc	1.181	8.82	8.65	8.34	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.205	81.40	5.208	132.00	-7.7cc	1.181	8.91	8.73	8.42	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-.50	SWH30373-2



MANUFACTURERS COVERED

**ACURA
HONDA**

**IMPORT
PISTONS**

**PISTONS COVERED: FLAT TOP • HIGH DOME
LOW DOME • REVERSE DOME**

ACURA/HONDA



B18-LS MOTOR: FLAT TOP | A1/B1 DOHC NON-VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	-2.0cc	1.181	10.56	10.33	9.91	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	-2.0cc	1.181	10.67	10.43	10.01	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-.50	SWH30373-2

B18-LS MOTOR: HIGH DOME | A1/B1 DOHC NON-VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	+7.1cc	1.181	12.80	12.45	11.82	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	+7.1cc	1.181	12.93	12.57	11.95	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-.50	SWH30373-2

B18-LS MOTOR: LOW DOME | A1/B1 DOHC NON-VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	+3.5cc	1.181	11.80	11.5	10.98	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	+3.5cc	1.181	11.92	11.62	11.09	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-.50	SWH30373-2

B18-LS MOTOR: REVERSE DOME | A1/B1 DOHC NON-VTEC | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	-7.7cc	1.181	9.55	9.36	9.02	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	-7.7cc	1.181	9.64	9.46	9.12	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-.50	SWH30373-2

B18-GSR MOTOR: FLAT TOP | C1 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	-2.0cc	1.181	10.37	10.14	9.73	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	-2.0cc	1.181	10.47	10.24	9.83	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-.50	SWH30373-2

B18-GSR MOTOR: HIGH DOME | C1 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	+7.1cc	1.181	12.56	12.21	11.60	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	+7.1cc	1.181	12.69	12.34	11.72	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-.50	SWH30373-2

B18-GSR MOTOR: LOW DOME | C1 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	+3.5cc	1.181	11.58	11.29	10.77	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	+3.5cc	1.181	11.70	11.41	10.89	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-.50	SWH30373-2

B18-GSR MOTOR: REVERSE DOME | C1 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	-7.7cc	1.181	9.37	9.19	8.86	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	-7.7cc	1.181	9.47	9.28	8.95	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-.50	SWH30373-2

B18-TYPE R MOTOR: FLAT TOP | C5 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	-2.0cc	1.181	10.37	10.14	9.73	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	-2.0cc	1.181	10.47	10.24	9.83	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-.50	SWH30373-2

B18-TYPE R MOTOR: HIGH DOME | C5 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	+7.1cc	1.181	12.56	12.21	11.60	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	+7.1cc	1.181	12.69	12.34	11.72	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-.50	SWH30373-2

B18-TYPE R MOTOR: LOW DOME | C5 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	+3.5cc	1.181	11.58	11.29	10.77	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	+3.5cc	1.181	11.70	11.41	10.89	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-.50	SWH30373-2



TOLL FREE: 866.718.6267 | www.probeindustries.com

IMPORT PISTONS

ACURA/HONDA



B18-TYPE R MOTOR: REVERSE DOME | C5 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.433	87.20	5.429	137.90	-7.7cc	1.181	9.37	9.19	8.86	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.433	87.20	5.429	137.90	-7.7cc	1.181	9.47	9.28	8.95	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-50	SWH30373-2

B18-LS VTEC MOTOR: FLAT TOP | A1/B1, W/B16A | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	-2.0cc	1.181	10.56	10.33	9.91	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	-2.0cc	1.181	10.67	10.43	10.01	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11375-50	SWH30373-2

B18-LS VTEC MOTOR: HIGH DOME | A1/B1, W/B16A | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	+7.1cc	1.181	12.80	12.45	11.82	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	+7.1cc	1.181	12.93	12.57	11.95	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11377-50	SWH30373-2

B18-LS VTEC MOTOR: LOW DOME | A1/B1, W/B16A | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	+3.5cc	1.181	11.80	11.50	10.98	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	+3.5cc	1.181	11.92	11.62	11.09	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11376-50	SWH30373-2

B18-LS VTEC MOTOR: REVERSE DOME | A1/B1, W/B16A | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							41.5cc	42.7cc	45.0cc								
81.0	3.504	89.00	5.394	137.00	-7.7cc	1.181	9.55	9.36	9.02	268	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-STD	SWH30373-0
81.5	3.504	89.00	5.394	137.00	-7.7cc	1.181	9.64	9.46	9.12	274	0.827	2.250	1.0mm	1.2mm	2.8mm	11885-50	SWH30373-2

K20 MOTOR: HIGH DOME | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							50.5cc	N/A	N/A								
86.0	3.386	86.00	5.472	139.00	+9.0cc	1.181	11.74	N/A	N/A	290	0.866	2.250	1.2mm	1.2mm	2.8mm	14479-STD	SWH30383-4
87.0	3.386	86.00	5.472	139.00	+9.0cc	1.181	11.96	N/A	N/A	302	0.866	2.250	1.2mm	1.2mm	2.8mm	14479-1.0	SWH30443-4

K20 MOTOR: REVERSE DOME | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							50.5cc	N/A	N/A								
86.0	3.386	86.00	5.472	139.00	-9.0cc	1.181	8.74	N/A	N/A	284	0.866	2.250	1.2mm	1.2mm	2.8mm	14478-STD	SWH30383-4
87.0	3.386	86.00	5.472	139.00	-9.0cc	1.181	8.91	N/A	N/A	295	0.866	2.250	1.2mm	1.2mm	2.8mm	14478-1.0	SWH30443-4

PROBE INDUSTRIES PROUD SPONSORS OF THE
WORLDS FASTEST
HONDA CIVIC

200 MPH



MANUFACTURERS COVERED

ACURA
HONDA
FORD
MITSUBISHI
NISSAN
INFINITI

IMPORT PISTONS

PISTONS COVERED: REVERSE DOME • FLAT TOP
HIGH DOME • LOW DOME
SOLID DOME • DISH TOP

FORD (FOCUS)



ZETEC MOTOR: REVERSE DOME | ZX3 2000-UP | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							48.0cc	N/A	N/A								
85.0	3.465	88.00	5.480	139.20	-7.2cc	1.171	8.99	N/A	N/A	283	0.787	2.250	1.2mm	1.5mm	3.0mm	14482-007	SWM31048-0

ZETEC MOTOR: SOLID DOME | ZX3 2000-UP | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							48.0cc	N/A	N/A								
85.0	3.465	88.00	5.480	139.20	+3.5cc	1.171	10.64	N/A	N/A	305	0.787	2.250	1.2mm	1.5mm	3.0mm	14483-007	SWM31048-0

MITSUBISHI

4G63 MOTOR: REVERSE DOME | 88-92 ECLIPSE/TALON, EVO 1-3 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							47.0cc	N/A	N/A								
85.8	3.937	100.00	5.906	150.00	-22.0cc	1.130	8.51	N/A	N/A	294	0.866	2.250	1.2mm	1.5mm	3.0mm	14711-.50	SWM31048-2
85.5	3.465	88.00	5.906	150.00	-13.5cc	1.375	8.44	N/A	N/A	288	0.827	2.250	1.2mm	1.5mm	3.0mm	14480-.50	SWM31048-2
86.0	3.465	88.00	5.906	150.00	-13.5cc	1.375	8.52	N/A	N/A	290	0.827	2.250	1.2mm	1.5mm	3.0mm	14480-1.0	SWM31048-4

4G63 MOTOR: REVERSE DOME | 92-UP ECLIPSE/TALON, EVO 4-8 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							47.0cc	N/A	N/A								
85.5	3.937	100.00	5.906	150.00	-22.0cc	1.130	8.51	N/A	N/A	294	0.827	2.250	1.2mm	1.5mm	3.0mm	14707-.50	SWM31048-2
85.5	3.465	88.00	5.906	150.00	-13.5cc	1.375	8.44	N/A	N/A	285	0.866	2.250	1.2mm	1.5mm	3.0mm	14481-.50	SWM31048-2
86.0	3.465	88.00	5.906	150.00	-13.5cc	1.375	8.52	N/A	N/A	287	0.866	2.250	1.2mm	1.5mm	3.0mm	14481-1.0	SWM31048-4

NISSAN / INFINITI

SR20DE(T) MOTOR: DISH TOP | SENTRA / 200SX SE-R, SILVA, 180SX & BLUEBIRD | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							46.5cc	N/A	N/A								
86.5	3.386	86.00	5.366	136.30	-12.0cc	1.260	8.82	N/A	N/A	303	0.866	2.250	1.2mm	1.2mm	3.0mm	14486-.50	SWM31072-0
87.0	3.386	86.00	5.366	136.30	-12.0cc	1.260	8.91	N/A	N/A	307	0.866	2.250	1.2mm	1.2mm	3.0mm	14486-1.0	SWM31072-2

SR20DE(T) MOTOR: FLAT TOP | SENTRA / 200SX SE-R, SILVA, 180SX & BLUEBIRD | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							45.0cc	N/A	N/A								
86.5	3.386	86.00	5.366	136.30	-1.0cc	1.260	10.61	N/A	N/A	358	0.866	2.250	1.2mm	1.2mm	3.0mm	14487-.50	SWM31072-0
87.0	3.386	86.00	5.366	136.30	-1.0cc	1.260	10.71	N/A	N/A	365	0.866	2.250	1.2mm	1.2mm	3.0mm	14487-1.0	SWM31072-2

VG30DE(TT) MOTOR: REVERSE DOME | 90-96 300Z | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							49.5cc	N/A	N/A								
87.5	3.270	83.00	6.071	154.00	-4.1cc	1.255	8.99	N/A	N/A	300	0.866	2.250	1.2mm	1.2mm	3.0mm	14484-.50	SWN30058-2
88.0	3.270	83.00	6.071	154.00	-4.1cc	1.255	9.07	N/A	N/A	304	0.866	2.250	1.2mm	1.2mm	3.0mm	14484-1.0	SWN30058-4

VG30DE(TT) MOTOR: SOLID DOME | 90-96 300Z | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							49.5cc	N/A	N/A								
87.5	3.270	83.00	6.071	154.00	+4.8cc	1.255	10.81	N/A	N/A	325	0.866	2.250	1.2mm	1.2mm	3.0mm	14485-.50	SWN30058-2
88.0	3.270	83.00	6.071	154.00	+4.8cc	1.255	10.91	N/A	N/A	330	0.866	2.250	1.2mm	1.2mm	3.0mm	14485-1.0	SWN30058-4



MANUFACTURERS COVERED
SUBARU
TOYOTA

IMPORT PISTONS

SUBARU



EJ20 MOTOR: DISH TOP | 01-UP WRX | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							48.0cc	N/A	N/A								
92.0	2.953	75.00	5.135	130.40	-13.5cc	1.287	8.32	N/A	N/A	372	0.906	2.250	-	-	-	14491-STD	SWF20051-0
92.5	2.953	75.00	5.135	130.40	-13.5cc	1.287	8.39	N/A	N/A	379	0.906	2.250	-	-	-	14491-.50	SWF20051-2

EJ20/EJ25D: DISH TOP | 01-UP WRX | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							50.0cc	N/A	N/A								
99.5	3.110	79.00	5.167	131.20	-23.3cc	1.160	8.45	N/A	N/A	382	0.906	2.250	1.2mm	1.2mm	2.8mm	14492-STD*32	SWF20066-0
100.0	3.110	79.00	5.167	131.20	-23.3cc	1.160	8.52	N/A	N/A	387	0.906	2.250	1.2mm	1.2mm	2.8mm	14492-.50*32	SWF20066-2

TOYOTA

2JZGTE MOTOR: REVERSE DOME | 1993-1998 SUPRA | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							45.0cc	N/A	N/A								
86.5	3.386	86.00	5.590	142.00	-14.0cc	1.338	8.59	N/A	N/A	335	0.866	2.250	1.2mm	1.2mm	2.8mm	14489-.50	SWM31072-0

3SGTE MOTOR: DISH TOP | 91-95 MR2 TURBO | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							53.0cc	N/A	N/A								
86.5	3.386	86.00	5.433	138.00	-4.1cc	1.375	8.64	N/A	N/A	337	0.866	2.250	1.2mm	1.2mm	3.0mm	14488-.50	SWM31072-0
87.0	3.386	86.00	5.433	138.00	-4.1cc	1.375	8.72	N/A	N/A	342	0.866	2.250	1.2mm	1.2mm	3.0mm	14488-1.0	SWM31072-2

4AGE MOTOR: FLAT TOP | 88-92 MR2 | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							39.0cc	N/A	N/A								
82.0	3.031	77.00	4.804	122.00	-4.8cc	1.210	9.21	N/A	N/A	293	0.866	2.250	-	-	-	14497-1.0	SWG30032-2

7MGTE MOTOR: REVERSE DOME | 87-92 SUPRA TURBO | SRS PISTONS

Bore (mm)	Stroke (in)	Stroke (mm)	Rod Length (in)	Rod Length (mm)	Top Volume	C/H	COMPRESSION RATIO			Weight	Pin O.D.	Pin Len.	1ST	2ND	3RD	Part #	Ring Set#
							39.0cc	N/A	N/A								
83.0	3.582	91.00	5.984	152.00	-18.5cc	1.299	8.59	N/A	N/A	310	0.866	2.250	1.2mm	1.5mm	3.0mm	14490-STD	SWL02311-0
83.5	3.582	91.00	5.984	152.00	-18.5cc	1.299	8.63	N/A	N/A	325	0.866	2.250	1.2mm	1.5mm	3.0mm	14490-.50	SWL02311-2
84.0	3.582	91.00	5.984	152.00	-18.5cc	1.299	8.68	N/A	N/A	332	0.866	2.250	1.2mm	1.5mm	3.0mm	14490-1.0	SWL02311-4

FOOTNOTES:
 *32: STI Model

